

Annex 1b

KOMBIPORT KIEL GMBH

LOCAL INSTRUCTIONS "Intermodal handling facility Kiel Schwedenkai

VALID FROM 1ST MAY 2019

Assembled Kiel, 1st May 2019 Approved Kiel, 1st May 2019 KombiPort Kiel GmbH

Lutz Bogs Railway Operations Manager Dr Timo Rosenberg Managing Director



DISTRIBUTION PLAN

- (1) Railway Operations Manager
 Local Operations Managers
 Operations Control Centre PORT OF KIEL
 Port Operations PORT OF KIEL
- (2) Homepage: www.portofkiel.com
- (3) Utilisation Conditions of KombiPort Kiel GmbH Service Facilities

CORRECTIONS

Date of Correction	Por .	Date of Correction	hve
Date of Correction	Ву	Date of Correction	by



I. GENERAL DESCRIPTON OF TRACK SYSTEM

The track system KombiPort Kiel – Ostuferhafen is a public track system, service facility Terminal as to the General Railway Law (§ 2 Abs. 9 AEG in connection with Annex 2 Nr. 2-4 EReg and § 2 Abs. 11 AEG).

Track system company: KombiPort Kiel GmbH

Schwedenkai 1 24103 Kiel

E-Mail: kombiport@portofkielcom

Contact: Mr Lutz Bogs

Railway Operations Manager

The track system KombiPort is located within the port premises Kiel – Ostuferhafen and links to the system of SEEHAFEN KIEL GmbH & Co. KG behind the track switch 502 (see map).

II. DESCRIPTION OF LOCAL CONDITIONS

Overview

The track system consists of 2 tracks (track 51, 52).

Track system features

Shunting speed on entire system: max. 5 km/h

Gross axle weight rating: 22.5 t Maximum load per metre: 8.0 t

Intermodal code: 80-489187

Track lengths

Track 51: Load length: 269 m Track 52: Load length: 250 m

Shut down: none

Operational radio: none

III. REGULATIONS FOR SHUNTING OPERATIONS

- Movements on the track system are to be undertaken as shunting movements as to "RiL 408".
- The head of the train (RAbt) must be manned at any time.
- Any shunting movement subject to air brakes.
- Pushing and rolling prohibited.
- Every locomotive must carry along 2 stop blocks.
- Any waggon must be secured against rolling in an appropriate way.
- Special directives issued for the track system are to be considered.



IV. COMPLEMENTARY OPERATIONAL DIRECTIVES

Access Requirements:

In addition to the legal regulations for using the track system KombiPort Kiel – Ostuferhafen the following complementary directives apply:

Ril 301 – Signalbuch (Signal book)

(Source of supply: DB Kommunikationstechnik GmbH – Logistikcenter, Kriegstraße 136, 76133 Karlsruhe)

Ril 408 – Züge fahren und Rangieren – Teilbereich Rangieren

(Source of supply: DB Kommunikationstechnik GmbH – Logistikcenter, Kriegstraße 136, 76133 Karlsruhe)

Betriebsunfallvorschrift für Nichtbundeseigene Eisenbahnen (BUVO-NE)

(Source of supply: Flöttmann-Verlag GmbH, Postfach 1653, 33246 Gütersloh – Order No.105022)

VDV-Schrift 755 - Streckenkenntnis-Richtlinie

(Source of supply: BEKA GmbH, Kamekestr. 20 - 22, 50672 Cologne)

General

For any train from and to KombiPort a waggon list is to be sent to kombiport@portofkiel.com, before train departure resp. arrival.

The railway company has to ensure that dangerous goods are declared properly at the port authority of the State Capital City of Kiel (Phone: +49 (0)431 901 2064 Fax: +49 (0)431 901 9 44 77).

The railway company has to ensure that its employees possess the local knowledge required for driving on the track system and are well informed about the conditions of the port area.

Directives for Shunting Movements:

Shunting movements are to be announced to SEEHAFEN KIEL GmbH & Co. KG, Railway Department, Phone: AKN +49 (0) 4191 9338942 (commissioned by KombiPort).

V. ADDITIONAL STIPULATIONS TO THE REGULATIONS FOR OPERATING ACCIDENTS OF NON-FEDERAL RAILWAYS (BUVO-NE)

Accident reporting point: SEEHAFEN KIEL GmbH & Co. KG, Railway Department (Phone: +49 (0) 151 40072972 or +49 (0) 162 2444280).